



CERTIFICATE

Certificate of constancy of performance No. 2268-CPR-316



Notified body No. 2268

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council (the Construction Products Regulation or CPR), this certificate applies to the construction product:

Fire resistant and smoke control doors (product)

„ARLO2“

(product type)

produced by the manufacturer

UAB „ARLANGA alu“

Gamyklos g. 5, Gargždai, Lithuania / Reg. No. 305552557
(name and address of the manufacturer, registration number)

in the manufacturing plant

Gamyklos g. 5, Gargždai, Lithuania

(address of the manufacturing plant)

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

EN 16034:2014 (shall only be applied together with EN 14351-1:2006+A2:2016) under system 1 are applied and that the products and the factory production control fulfils all the prescribed requirements set out above.

This certificate was first issued on **2020-09-16** and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product and the factory production control itself are not modified significantly.

Issue of certificate 2025-02-28

Laimutė Ditauskienė
Certification business unit manager



UAB „Kiwa Inspecta“
Ukmergės g. 308,
LT-12110 Vilnius, Lietuva
Tel. +370 5 2031395

lithuania@kiwa.com



EN 16034
EN 14351-1
UAB „Kiwa Inspecta“





Certificate of constancy of performance
No. 2268-CPR-316
Annex

Performance characteristics:

Product: fire resistant and smoke control doors „ARLO2“				
Essential characteristics	European Standards related to essential characteristics	Requirements under EN 16034:2014	Performance	Notes
Resistance to fire	LST EN 1634-1 LST EN 13501-2	4.1	EW 30, EI ₁ 30, EI ₂ 30, E 30 ¹⁾	class
Smoke control	LST EN 1634-3 LST EN 13501-2	4.2	S _{a3} ¹⁾ S ₂₀₀ ¹⁾	class
Ability to release	LST EN 16034	4.3	NPD ²⁾	-
Self-closing durability	LST EN 1191 LST EN 16034	4.4	200000 ¹⁾ C ₅ ¹⁾	cycles class
Durability of ability to release	LST EN 16034	4.5.1	NPD ²⁾	-
Durability of self-closing against degradation	LST EN 16034	4.5.2.1	NPD ²⁾	-
Durability of self-closing against ageing	LST EN 16034	4.5.2.2	NPD ²⁾	-

¹⁾ the scope of products covered by this certificate can be found in the classification report No. 04-579-20-04 (2020-09-16) and extended application report No. 04-579-20-03 (2020-09-16).

²⁾ NPD – no performance determined.

