



Certificate of constancy of performance No. 2268-CPR-420



Notified body No. 2268

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council (the Construction Products Regulation or CPR), this certificate applies to the construction product:

Curtain walling (non-load-bearing facade system)
(product)

„ARLo5“
(product type)

produced by the manufacturer

UAB „ARLANGA alu“

Gamyklos g. 5, Gargždai, Lithuania / Reg. No. 305552557
(name and address of the manufacturer, registration number)

in the manufacturing plant

Gamyklos g. 5, Gargždai, Lithuania
(address of the manufacturing plant)

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard **EN 13830:2003** under system 1 are applied and that the products and the factory production control fulfils all the prescribed requirements set out above.

This certificate was first issued on **2023-01-20** and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product and the factory production control itself are not modified significantly.

Issue of certificate 2025-02-28

Laimutė Ditauskienė
Certification business unit manager



UAB „Kiwa Inspecta“
Ukmergės g. 308,
LT-12110 Vilnius, Lietuva
Tel. +370 5 2031395

liithuania@kiwa.com



Eksploatacinių savybių pastovumo sertifikato Nr. 2268-CPR-420 priedas



Eksploatacinės savybės:

Produktas: sienos apdaras (konstrukcijų apkrovų nelaikanti fasado sistema) „ARLo5“			
Esminės savybės	Standartų nuorodos į esmines savybes	Deklaruojama vertė	Pastabos
Atsparumas ugniai	LST EN 1634-1 LST EN 13501-2	EI 60 (0↔i) ¹⁾	klasė
Oro pralaidumas	LST EN 12152	AE (1300 Pa)	klasė
Vandens nepralaidumas	LST EN 12154	RE1500	klasė
Atsparumas vėjo apkrovai Saugumo testas	LST EN 13116	2600 Pa +/- 3900 Pa	klasė
Atsparumas smūgiui	LST EN 14019	NPD ²⁾	-
¹⁾ produktui, kuriam taikomas šis sertifikatas, taikymo sritį galima rasti klasifikavimo ataskaitoje Nr. 00893/21/R262NZP/ENG (2022-03-02).			
²⁾ NPD – charakteristikos nenustatytos.			

Laimutė Ditauskienė
Sertifikavimo įstaigos vadovė
2025-02-28

